Enclosure to KCBX Terminals Company Comments on Chicago Department of Public Health Proposed Regualtions for the Handling and Storage of Bulk Material Piles
7-Feb-14

Date	AQS_SITE_POC	Daily Mean	UNITS	DAILY_AQI	DAILY_OBS	PERCENT_(	AQS_PARA	AQS_PARAMETER_DESC	CSA_CODE	CSA_NAME	CBSA_COD	CBSA_NAME	STATE_COI	STATE	COUNTY_C	COUNTY	SITE_LATITUDE	SITE_LONGITUDE
1/1/2013	17-031-002	14	ug/m3 SC	13	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/2/2013	17-031-002	49	ug/m3 SC	45	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/3/2013	17-031-002	57	ug/m3 SC	52	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/4/2013	17-031-002	109	ug/m3 SC	78	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/5/2013	17-031-002	27	ug/m3 SC	25	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/6/2013	17-031-002	34	ug/m3 SC	31	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/7/2013	17-031-002	28	ug/m3 SC	26	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/8/2013	17-031-002	32	ug/m3 SC	30	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/9/2013	17-031-002	59	ug/m3 SC	53	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/10/2013	17-031-002	23	ug/m3 SC	21	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/11/2013	17-031-002	14	ug/m3 SC	13	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/12/2013	17-031-002	35	ug/m3 SC	32	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/13/2013	17-031-002	20	ug/m3 SC	19	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/14/2013	17-031-002	31	ug/m3 SC	29	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/15/2013	17-031-002	48	ug/m3 SC	44	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/16/2013	17-031-002	58	ug/m3 SC	52	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/17/2013	17-031-002	23	ug/m3 SC	21	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/18/2013	17-031-002	26	ug/m3 SC	24	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/19/2013	17-031-002	54	ug/m3 SC	50	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/20/2013	17-031-002	33	ug/m3 SC	31	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/21/2013	17-031-002	34	ug/m3 SC	31	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/22/2013	17-031-002	38	ug/m3 SC	35	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/23/2013	17-031-002	90	ug/m3 SC	68	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/24/2013	17-031-002	40	ug/m3 SC	37	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/25/2013	17-031-002	30	ug/m3 SC	28	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/26/2013	17-031-002	38	ug/m3 SC	35	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/27/2013	17-031-002	28	ug/m3 SC	26	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/28/2013	17-031-002	31	ug/m3 SC	29	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/29/2013	17-031-002	21	ug/m3 SC	19	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/30/2013	17-031-002	18	ug/m3 SC	17	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
1/31/2013	17-031-002	58	ug/m3 SC	52	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/1/2013	17-031-002	51	ug/m3 SC	47	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/2/2013	17-031-002	27	ug/m3 SC	25	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/3/2013	17-031-002	35	ug/m3 SC	32	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/4/2013	17-031-002	24	ug/m3 SC	22	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/5/2013	17-031-002	35	ug/m3 SC	32	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/6/2013	17-031-002	28	ug/m3 SC	26	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/7/2013	17-031-002	33	ug/m3 SC	31	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/8/2013	17-031-002	16	ug/m3 SC	15	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/9/2013	17-031-002	17	ug/m3 SC	16	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/10/2013	17-031-002	13	ug/m3 SC	12	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/11/2013	17-031-002	21	ug/m3 SC	19	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/12/2013	17-031-002	34	ug/m3 SC	31	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/13/2013	17-031-002	32	ug/m3 SC	30	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/14/2013	17-031-002	28	ug/m3 SC	26	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/15/2013	17-031-002	19	ug/m3 SC	18	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/16/2013	17-031-002	22	ug/m3 SC	20	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/17/2013	17-031-002	21	ug/m3 SC	19	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/18/2013	17-031-002	23	ug/m3 SC	21	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/19/2013	17-031-002	94	ug/m3 SC	70	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/20/2013	17-031-002	25	ug/m3 SC	23	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/21/2013	17-031-002	24	ug/m3 SC	22	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/22/2013	17-031-002	30	ug/m3 SC	28	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/23/2013	17-031-002	22	ug/m3 SC	20	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/24/2013	17-031-002	25	ug/m3 SC	23	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/25/2013	17-031-002	19	ug/m3 SC	18	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/26/2013	17-031-002	13	ug/m3 SC	12	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/27/2013	17-031-002	14	ug/m3 SC	13	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
2/28/2013	17-031-002	11	ug/m3 SC	10	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/1/2013	17-031-002	14	ug/m3 SC	13	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/2/2013	17-031-002	15	ug/m3 SC	14	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/3/2013	17-031-002	21	ug/m3 SC	19	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/4/2013	17-031-002	19	ug/m3 SC	18	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/5/2013	17-031-002	19	ug/m3 SC	18	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/6/2013	17-031-002	17	ug/m3 SC	16	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/7/2013	17-031-002	23	ug/m3 SC	21	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/8/2013	17-031-002	20	ug/m3 SC	19	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/9/2013	17-031-002	17	ug/m3 SC	16	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/10/2013	17-031-002	30	ug/m3 SC	28	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/11/2013	17-031-002	15	ug/m3 SC	14	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/12/2013	17-031-002	38	ug/m3 SC	35	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/13/2013	17-031-002	26	ug/m3 SC	24	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/14/2013	17-031-002	51	ug/m3 SC	47	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/15/2013	17-031-002	41	ug/m3 SC	38	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/16/2013	17-031-002	17	ug/m3 SC	16	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315
3/17/2013	17-031-002	13	ug/m3 SC	12	1	100	81102	PM10 Total 0-10um STP	176	Chicago-Naperville-Michigan City, IL-IN-WI	16980	Chicago-Naperville-Joliet, IL-IN-WI	17	Illinois	31	Cook	41.687165	-87.539315

3/18/2013	17-031-002	4	33 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/19/2013	17-031-002	4	92 ug/m3 SC	69	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/20/2013	17-031-002	4	31 ug/m3 SC	29	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/21/2013	17-031-002	4	26 ug/m3 SC	24	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/22/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/23/2013	17-031-002	4	12 ug/m3 SC	11	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/24/2013	17-031-002	4	12 ug/m3 SC	11	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/25/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/26/2013	17-031-002	4	18 ug/m3 SC	17	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/27/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/28/2013	17-031-002	4	45 ug/m3 SC	42	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/29/2013	17-031-002	4	66 ug/m3 SC	56	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/30/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
3/31/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/1/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/2/2013	17-031-002	4	26 ug/m3 SC	24	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/3/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/4/2013	17-031-002	4	63 ug/m3 SC	55	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/5/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/6/2013	17-031-002	4	95 ug/m3 SC	71	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/7/2013	17-031-002	4	25 ug/m3 SC	23	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/8/2013	17-031-002	4	52 ug/m3 SC	48	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/9/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/10/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/11/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/12/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/13/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/14/2013	17-031-002	4	19 ug/m3 SC	18	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/15/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/16/2013	17-031-002	4	12 ug/m3 SC	11	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/17/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/18/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/19/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/20/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/21/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/22/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/23/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/24/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/25/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/26/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/27/2013	17-031-002	4	34 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/28/2013	17-031-002	4	33 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/29/2013	17-031-002	4	47 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
4/30/2013	17-031-002	4	45 ug/m3 SC	42	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/1/2013	17-031-002	4	48 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/2/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/4/2013	17-031-002	4	34 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/5/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/6/2013	17-031-002	4	25 ug/m3 SC	23	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/7/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/8/2013	17-031-002	4	41 ug/m3 SC	38	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/9/2013	17-031-002	4	47 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/10/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/11/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/12/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/13/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/14/2013	17-031-002	4	75 ug/m3 SC	61	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/15/2013	17-031-002	4	77 ug/m3 SC	62	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/16/2013	17-031-002	4	43 ug/m3 SC	40	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/17/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/18/2013	17-031-002	4	33 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/19/2013	17-031-002	4	47 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/20/2013	17-031-002	4	99 ug/m3 SC	73	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/21/2013	17-031-002	4	33 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/22/2013	17-031-002	4	25 ug/m3 SC	23	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/23/2013	17-031-002	4	12 ug/m3 SC	11	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/24/2013	17-031-002	4	10 ug/m3 SC	9	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/25/2013	17-031-002	4	10 ug/m3 SC	9	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/26/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/27/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/28/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/29/2013	17-031-002	4	29 ug/m3 SC	27	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/30/2013	17-031-002	4	40 ug/m3 SC	37	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
5/31/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/1/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/2/2013	17-031-002	4	11 ug/m3 SC	10	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/3/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/4/2013	17-031-002	4	26 ug/m3 SC	24	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/5/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/6/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315

6/7/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/8/2013	17-031-002	4	38 ug/m3 SC	35	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/9/2013	17-031-002	4	40 ug/m3 SC	37	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/10/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/11/2013	17-031-002	4	55 ug/m3 SC	51	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/12/2013	17-031-002	4	34 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/13/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/14/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/15/2013	17-031-002	4	26 ug/m3 SC	24	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/16/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/17/2013	17-031-002	4	53 ug/m3 SC	49	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/18/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/19/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/20/2013	17-031-002	4	39 ug/m3 SC	36	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/21/2013	17-031-002	4	37 ug/m3 SC	34	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/22/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/23/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/24/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/25/2013	17-031-002	4	42 ug/m3 SC	39	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/26/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/27/2013	17-031-002	4	38 ug/m3 SC	35	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/28/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/29/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
6/30/2013	17-031-002	4	18 ug/m3 SC	17	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/1/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/2/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/3/2013	17-031-002	4	28 ug/m3 SC	26	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/4/2013	17-031-002	4	55 ug/m3 SC	51	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/5/2013	17-031-002	4	63 ug/m3 SC	55	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/6/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/7/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/8/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/9/2013	17-031-002	4	47 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/10/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/11/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/12/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/13/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/14/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/15/2013	17-031-002	4	43 ug/m3 SC	40	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/16/2013	17-031-002	4	39 ug/m3 SC	36	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/17/2013	17-031-002	4	50 ug/m3 SC	46	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/18/2013	17-031-002	4	62 ug/m3 SC	54	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/19/2013	17-031-002	4	101 ug/m3 SC	74	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/20/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/21/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/22/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/23/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/24/2013	17-031-002	4	11 ug/m3 SC	10	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/25/2013	17-031-002	4	47 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/26/2013	17-031-002	4	37 ug/m3 SC	34	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/27/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/28/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/29/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/30/2013	17-031-002	4	29 ug/m3 SC	27	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
7/31/2013	17-031-002	4	33 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/1/2013	17-031-002	4	26 ug/m3 SC	24	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/2/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/3/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/4/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/5/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/6/2013	17-031-002	4	31 ug/m3 SC	29	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/7/2013	17-031-002	4	40 ug/m3 SC	37	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/8/2013	17-031-002	4	12 ug/m3 SC	11	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/9/2013	17-031-002	4	34 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/10/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/11/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/12/2013	17-031-002	4	46 ug/m3 SC	43	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/13/2013	17-031-002	4	11 ug/m3 SC	10	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/14/2013	17-031-002	4	25 ug/m3 SC	23	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/15/2013	17-031-002	4	42 ug/m3 SC	39	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/16/2013	17-031-002	4	41 ug/m3 SC	38	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/17/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/18/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/19/2013	17-031-002	4	58 ug/m3 SC	52	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/20/2013	17-031-002	4	58 ug/m3 SC	52	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/21/2013	17-031-002	4	58 ug/m3 SC	52	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/22/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/23/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/24/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/25/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315

8/26/2013	17-031-002	4	64 ug/m3 SC	55	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/27/2013	17-031-002	4	72 ug/m3 SC	59	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/28/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/29/2013	17-031-002	4	33 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
8/31/2013	17-031-002	4	11 ug/m3 SC	10	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/1/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/2/2013	17-031-002	4	9 ug/m3 SC	8	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/3/2013	17-031-002	4	19 ug/m3 SC	18	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/4/2013	17-031-002	4	48 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/5/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/6/2013	17-031-002	4	34 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/7/2013	17-031-002	4	51 ug/m3 SC	47	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/8/2013	17-031-002	4	31 ug/m3 SC	29	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/9/2013	17-031-002	4	51 ug/m3 SC	47	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/10/2013	17-031-002	4	96 ug/m3 SC	71	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/11/2013	17-031-002	4	55 ug/m3 SC	51	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/12/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/13/2013	17-031-002	4	10 ug/m3 SC	9	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/14/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/15/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/16/2013	17-031-002	4	8 ug/m3 SC	7	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/17/2013	17-031-002	4	19 ug/m3 SC	18	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/18/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/19/2013	17-031-002	4	28 ug/m3 SC	26	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/20/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/21/2013	17-031-002	4	15 ug/m3 SC	14	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/22/2013	17-031-002	4	12 ug/m3 SC	11	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/23/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/24/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/25/2013	17-031-002	4	45 ug/m3 SC	42	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/26/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/27/2013	17-031-002	4	29 ug/m3 SC	27	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/28/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/29/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
9/30/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/1/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/2/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/3/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/4/2013	17-031-002	4	34 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/5/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/6/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/7/2013	17-031-002	4	29 ug/m3 SC	27	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/8/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/9/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/10/2013	17-031-002	4	45 ug/m3 SC	42	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/11/2013	17-031-002	4	37 ug/m3 SC	34	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/12/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/13/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/14/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/15/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/16/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/17/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/18/2013	17-031-002	4	28 ug/m3 SC	26	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/19/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/20/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/21/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/22/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/23/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/24/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/25/2013	17-031-002	4	52 ug/m3 SC	48	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/26/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/27/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/28/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/29/2013	17-031-002	4	28 ug/m3 SC	26	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/30/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
10/31/2013	17-031-002	4	10 ug/m3 SC	9	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/1/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/2/2013	17-031-002	4	19 ug/m3 SC	18	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/3/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/4/2013	17-031-002	4	18 ug/m3 SC	17	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/5/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/6/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/7/2013	17-031-002	4	26 ug/m3 SC	24	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/8/2013	17-031-002	4	31 ug/m3 SC	29	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/9/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/10/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/11/2013	17-031-002	4	29 ug/m3 SC	27	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/12/2013	17-031-002	4	18 ug/m3 SC	17	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/13/2013	17-031-002	4	41 ug/m3 SC	38	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/14/2013	17-031-002	4	42 ug/m3 SC	39	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315

11/15/2013	17-031-002	4	47 ug/m3 SC	44	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/16/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/17/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/18/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/19/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/20/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/21/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/22/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/23/2013	17-031-002	4	13 ug/m3 SC	12	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/24/2013	17-031-002	4	16 ug/m3 SC	15	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/25/2013	17-031-002	4	43 ug/m3 SC	40	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/26/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/27/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/28/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/29/2013	17-031-002	4	31 ug/m3 SC	29	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
11/30/2013	17-031-002	4	29 ug/m3 SC	27	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/1/2013	17-031-002	4	33 ug/m3 SC	31	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/2/2013	17-031-002	4	30 ug/m3 SC	28	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/3/2013	17-031-002	4	45 ug/m3 SC	42	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/4/2013	17-031-002	4	32 ug/m3 SC	30	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/5/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/6/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/7/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/8/2013	17-031-002	4	36 ug/m3 SC	33	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/9/2013	17-031-002	4	28 ug/m3 SC	26	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/10/2013	17-031-002	4	49 ug/m3 SC	45	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/11/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/12/2013	17-031-002	4	40 ug/m3 SC	37	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/13/2013	17-031-002	4	51 ug/m3 SC	47	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/14/2013	17-031-002	4	20 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/15/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/16/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/17/2013	17-031-002	4	35 ug/m3 SC	32	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/18/2013	17-031-002	4	22 ug/m3 SC	20	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/19/2013	17-031-002	4	28 ug/m3 SC	26	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/20/2013	17-031-002	4	18 ug/m3 SC	17	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/21/2013	17-031-002	4	17 ug/m3 SC	16	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/22/2013	17-031-002	4	12 ug/m3 SC	11	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/23/2013	17-031-002	4	24 ug/m3 SC	22	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/24/2013	17-031-002	4	27 ug/m3 SC	25	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/25/2013	17-031-002	4	25 ug/m3 SC	23	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/26/2013	17-031-002	4	23 ug/m3 SC	21	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/27/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/28/2013	17-031-002	4	21 ug/m3 SC	19	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/29/2013	17-031-002	4	14 ug/m3 SC	13	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/30/2013	17-031-002	4	43 ug/m3 SC	40	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315
12/31/2013	17-031-002	4	28 ug/m3 SC	26	1	100	81102 PM10 Total 0-10um STP	176 Chicago-Naperville-Michigan City, IL-IN-WI	16980 Chicago-Naperville-Joliet, IL-IN-WI	17 Illinois	31 Cook	41.687165	-87.539315