

**CITY OF CHICAGO
DEPARTMENT OF PROCUREMENT SERVICES
ROOM 403, CITY HALL, 121 N. LASALLE STREET**

FOR NCRB USE ONLY	
Date	8-2-11
Recommend Approval	<input type="checkbox"/>
Return To Dept.	<input type="checkbox"/>
Reject	<input type="checkbox"/>
Vote	5- yes

**NON-COMPETITIVE REVIEW BOARD (NCRB)
JUSTIFICATION FOR NON-COMPETITIVE PROCUREMENT**

COMPLETE THIS SECTION IF NEW CONTRACT

For contract(s) in this request, fill in each of the four (4) major subject areas below in accordance with the **Instructions for Preparation of Non-Competitive Procurement Form** on the reverse side. Complete "Other" subject area if additional information is needed. Subject areas must be fully completed. Responses merely referencing attachments will not be accepted.

Request that negotiations be conducted only with Ray Burner Company for the product(s) and/or service(s) described herein.

This is a request for:

One-Time Contractor Requisition #: 57770 copy attached or Term Agreement or Delegate Agency (Check one).

If Delegate Agency, this request is for "blanket approval" for all contracts within the <<proj description/name>> (Attach List).

Pre-Assigned Specification No.: 95390

Pre-Assigned Contract No.: _____

COMPLETE THIS SECTION IF AMENDMENT OR MODIFICATION TO CONTRACT

Describe in detail the change in terms of dollars, time period, scope of services, etc., its relationship to the original contract and the specific reasons for the change. Indicate both the original and the adjusted contract amount and/or expiration date with this change, as applicable. Attach copy of all supporting documents. Request approval for a contract amendment or modification to the following:

Contract #: _____

Company or Agency Name: _____

Specification #: _____

Contract or Program Description: _____

Modification #: _____

Mark O'Malley

744-3700

Originator Name

Telephone

(Attach List if multiple)
[Signature]
Signature

Water Management
Department

7/28/11
Date
(mm/dd/yr)

PROCUREMENT HISTORY

- The boiler to be procured via sole-source procurement authorization is to be installed on board the City of Chicago, Department of Water Management Tugboat James J. Versluis during the next dry dock inspection/shipyard period scheduled for 2013.**
It is a direct replacement for the existing boiler installed on board the tugboat, which dates back to 1957.
- This is a first time requirement.**
- As the aforementioned company, Ray Burner, is the only United States Company authorized to sell this boiler, no attempt has been made to competitively bid this item.**
- An internet search was done in order to locate all authorized distributors concerning this item.**
- This is a one-time request.**
- I do not believe competitive bidding is possible, as we have not been able to identify other authorized distributors concerning this product.**

ESTIMATED COST

- The estimated cost for this requirement is \$19,192.00**
The Funding source is 001-09-0F04-088-2020-0550-W706-220550-10101090
- The estimated cost would be \$19,192.00 for the fiscal year 2010.**
- A quotation was obtained from Ray Burner Co., the only U.S. authorized area distributor that we were able to identify.**

4. If we were to consider a boiler from a different manufacturer, a naval Architect would have to be hired in order to determine feasibility, and other installation issues, including but not limited to how the center of buoyancy would be affected.

The required item as manufactured by Way-Wolff Associates, Inc., is a direct replacement for the existing boiler, and will bolt in place after removal of the existing boiler.

SCHEDULE REQUIREMENTS

1. We would like to be in possession of the required item in anticipation of the next inspection/Dry-Dock period concerning the Chicago Department of Water Management Tugboat. This is scheduled for 2013.
2. Note that Ray Burner is the only United States authorized distributor that we have been able to identify concerning this product. They are privy to specifications concerning the existing boiler and the required item.
3. It is critical that we are in possession of the required item prior to the next Inspection/Dry-Dock period concerning the CDWM Tugboat.
4. Competitive bidding may not be possible if Ray Burner Co. chooses not to sell their item to someone other than the end user.

EXCLUSIVE OR UNIQUE CAPABILITY

1. Proposed supplier, Ray Burner Company, is a predominant distributor of marine boilers.
2. The proposed Company is the only United States authorized distributor of the required item that we have been able to identify.
3. Proposed supplier, Ray Burner will ensure that the required item, as manufactured by Way-Wolff and Associates, meets or exceeds all specifications before it is shipped to the City of Chicago, Department of Water Management.
4. It is the intent of the Department of Water Management to have the required aboard the CDWM Tugboat during the next Dry Dock inspection period scheduled for 2013. It is critical that the required item be compatible with existing machinery and appurtenances aboard the CDWM Tugboat in order to ensure proper operation of related environmental control equipment. Proper ambient temperatures have to be maintained aboard the boat in order to ensure reliable operation of critical systems such as the steering and navigation systems.
5. As the only authorized distributor of Way-Wolff products in the U.S., Ray Burner Company is privy to specifications and other proprietary data concerning the required item.

OTHER

APPROVED BY:

DEPARTMENT HEAD OR DESIGNEE

7/28/11
DATE

BOARD CHAIRPERSON
8/5/11
DATE

Felicia L. ...
PRINT NAME

Rick ...
PRINT NAME

CHIEF PROCUREMENT OFFICER

8/10/11
DATE OF APPROVAL

Thank you in advance for your immediate attention. If you have any questions or require additional information in order to process this request, please contact Felicia Rawlings, Supervisor of Contracts at 745-0581.

cc: Julie Hernandez-Tomlin
Beverly Ingram
Alan Stark
Mark O'Malley
James Bracewell
Monica Cardenas

RAY BURNER COMPANY

Quote 39005

Remit to:

RAY BURNER COMPANY
401 PARR BLVD
RICHMOND CA 94801~~XXXXXXXXXXXXXXXXXXXX~~

ORDER #: 0039005

ORDER DATE: 06/15/11 SALESMAN: 1

MUST. PO:

TERMS: NET

SHIP VIA: DAYLIGHT

BILL TO: CHICAGOWAT
CHICAGO DEPT.OF WATER MGT
MARK F. OMALLEY
1000 OHIO STREET
ROOM 212
CHICAGO IL 60611SHIP TO:
CHICAGO DEPT.OF WATER MGT
MARK F. OMALLEY
1000 OHIO STREET
ROOM 212
CHICAGO IL 60611

ITEM	ORDER	SHIP DESCRIPTION	UNIT PRICE	TOTAL
REPLACEMENT	1	1 BOILER FOR WAY WOLFF-4236	0.00	0.00
434-10E	1	1 WAY WOLFF 919010	19192.00	19192.00
20/60/1	1	1 30PSI HOT WATER	0.00	0.00
353-2	1	1 RAY OIL BURNER	0.00	0.00
EC120	1	1 CAD CELL CONTROL	0.00	0.00
-494	1	1 LOW WATER PROBE-170	0.00	0.00
554	1	1 AQUASTAT	0.00	0.00
-360-7	1	1 3 1/2 GAGE 50PSI 60-260F	0.00	0.00
RELIEF-VALVE	1	1 SET AT 30PSI 3/4"	0.00	0.00
RUCK-FRT.TO	1	1 60611 CHICAGO, IL-DAYLIGHT	0.00	0.00

*Conrad C. Muffler - President*SUBTOTAL 19192.00
TAX 0.00

TOTAL 19192.00

**CITY OF CHICAGO
 PURCHASE REQUISITION**

Copy (Department)

DELIVER TO: D06 STOREROOM 110 JARDINE WATER PURIFICATION PT. CHICAGO, ILLINOIS 60611, IL	REQUISITION: 61655 PAGE: 1 DEPARTMENT: 88 - DEPARTMENT OF WATER MANAGEMEN PREPARER: Margarita Alvarez NEEDED: APPROVED: 7/18/2011
---	--

REQUISITION DESCRIPTION

NEW SMALL ORDER (ONE SHOT) SOLE SOURCE CONTRACT FOR A HOT WATER MARINE BOILER
 SPECIFICATION NUMBER: 95390

COMMODITY INFORMATION


LINE	ITEM	QUANTITY	UOM	UNIT COST	TOTAL COST						
1	8201210020 BOILERS, LOW PRESSURE - HOT WATER MARINE BOILER, MODEL 1-3434-10E	1.00	Each	19,192.00	19,192.00						
SUGGESTED VENDOR:		REQUESTED BY: Felicia L Rawlings									
DIST	BFY	FUND	COST CTR	APPR	ACCNT	ACTV	PROJECT	RPT CAT	GENRL	FUTR	Dist. Amt.
1	010	0F05	0882020	5047	220540	0000	50034151	000000	00000	0000	19,192.00
LINE TOTAL:											19,192.00
REQUISITION TOTAL:											19,192.00



DEPARTMENT OF WATER MANAGEMENT
CITY OF CHICAGO
MEMORANDUM

TO: Jamie L. Rhee
Chief Procurement Officer
Department of Procurement Services

Attn: Richard Butler

FROM: 
Thomas H. Powers, P.E.
Department of Water Management

SUBJECT: Sole Source Procurement
Ray Burner Company
Marine Boiler

DATE: July 28, 2011

On February 9, 2011, the NCRB form was approved by Jamie Rhee to purchase a Marine Boiler for DWM's tugboat, the James J. Versluis, with Ray Burner Company in the amount of \$ 18,624.00. Since the time of approval the vendor, Ray Burner Company was contacted by DPS to provide an updated quote. Ray Burner Company at that time notified DWM that they were unable to honor the initial quote dated 11/17/10 because of price changes. They further notified DWM that there would be additional cost in the amount of \$568 and provided an updated quote for \$19,192.00 dated June 23, 2011. DWM concurs with this additional new price increase due to the time frame that has past from the initial quote. Therefore, DWM request approval from the sole source board to purchase the Marine Boiler from Ray Burner Company for a new total price of \$19,192.00.

Additionally, the following documents were initially submitted:

- Letter from Department Head to CPO requesting approval for Non-Competitive Procurement Review
- Complete detailed specifications and DPS project checklist
- Justification For Non-Competitive Procurement Review Form
- Complete compliance plan or letter of a "Good Faith Efforts" in obtaining M/WBE/DBE compliance
- Letter from vendor supporting that they are the only or unique provider of good or service the department is seeking to obtain from any sole source procurement
- Copy of proposal from vendor stating terms and conditions and cost of good or service




DEPARTMENT OF WATER MANAGEMENT
CITY OF CHICAGO

MEMORANDUM

TO: Jamie L. Rhee
Chief Procurement Officer
Department of Procurement Services

Attn: Richard Butler

FROM: 
Thomas H. Powers, P.E.
Department of Water Management

SUBJECT: Sole Source Procurement
Ray Burner Company
Marine Boiler

DATE: January 11, 2011

The Department of Water Management, Bureau of Water Supply, Division of Water Pumping is requesting a sole source purchase for a Way Wolff Hot Water Boiler, with Ray Burner Company. The marine boiler to be procured is to be installed in the Chicago Department of Water Management tugboat, the James J. Versluis. The existing boiler was initially installed in 1957 and is currently over (30) years old and is at the end of its useful life cycle.

The marine boiler in operation was initially manufactured by Way-Wolff Associates and Ray Burner Company is the only United States Company an authorized distributor to sell this boiler. Ray Burner Company is also privy to specifications concerning the existing boiler. Also, the proposed Supplier, Ray Burner will ensure that the required item as manufactured by Way-Wolff and Associates meets or exceeds all specifications before it is shipped to the City of Chicago Department of Water Management.

It is the intent of the DWM to have the required item installed aboard the DWM Tugboat during the next Dry Dock inspection period scheduled for 2013. In addition, the required item as manufactured by Way-Wolff and Associates, Inc. is a direct replacement of the existing boiler and will bolt in place after removal of the existing boiler.

Therefore, we would like to request your consideration for a sole source contract with Ray Burner Company for the marine boiler. The estimated cost for this marine boiler is \$18,624 for the fiscal year 2010. This purchase will allow DWM to replace the marine boiler and insure compatibility & proper operation with existing machinery and appurtenances aboard the DWM Tugboat.

In an effort to comply with the City of Chicago MBE/WBE compliance program, Ray Burner Company made a good faith effort by contacting City of Chicago minority Hauling Services (see attached documentation) and was unsuccessful. Therefore, DWM would like to request that this contract be awarded with no stated MBE/WBE compliance goals.

Thank you in advance for your immediate attention. If you have any questions or require additional information in order to process this request, please contact Felicia Rawlings, Supervisor of Contracts at 745-0581.

cc: Julie Hernandez-Tomlin
Beverly Ingram
Alan Stark
Mark O'Malley
James Bracewell
Monica Cardenas



City of Chicago
Richard M. Daley, Mayor

Department of Water Management


Thomas H. Powers, P.E.
Commissioner

Jardine Water Purification Plant
1000 East Ohio Street
Chicago, Illinois 60611
(312) 744-7001
(312) 744-6931 (FAX)
(312) 744-2968 (TTY)

[www.cityofchicago.org/
watermanagement](http://www.cityofchicago.org/watermanagement)

MEMORANDUM

TO: Jamie L. Rhee
Chief Procurement Officer

FROM: 
Thomas H. Powers, P.E.
Commissioner

DATE: January 11, 2011

SUBJECT: Procurement of Hot Water Heater for the
CDWM Tugboat, James J. Versluis

We are requesting Sole-Source authorization concerning procurement of one (1) Way Wolffe Hot Water Boiler, Model No#. 1-3434-10E, in order to replace the existing boiler, which is more than thirty (30) years old, and at the end of it's useful life cycle.

Our intent is to have the existing boiler removed, and the replacement boiler installed during the next Tugboat Shipyard period, which is tentatively scheduled to begin during the third quarter of 2013. Please note that the Ray Burner Company is the only authorized distributor of Way Wolffe products in the United States.

Should you require further information concerning this matter, please contact Mr. Mark F. O'Malley at 312-744-3700.

Thank you in advance for your assistance concerning this matter.

cc: A. Stark
D. Materre
V. Silva
T. Courtney
E. Popelas

NEIGHBORHOODS



DETAIL SPECIFICATIONS

SCOPE OF WORK

The Contractor must furnish, install, and setup F.O.B. at the City of Chicago, Department of Water Management, Bureau of Water Supply, Jardine Water Purification Plant, 1000 East Ohio Street, Chicago Illinois 60611, one (1) Boiler specified herein, all in accordance with the terms and conditions of this specification.

INTENT

It is the intent of the Department of Water Management to have the required item installed aboard the Chicago Department of Water Management tugboat, James J. Versluis during the next Dry Dock inspection period, scheduled for 2013.

PRODUCT AND DESIGN

The Contractor will provide one (1) boiler with forced circulation hot water heating systems, fully automatic, oil-fired, central heating units used to supply hot water by means of a circulating pump to radiators, convectors, or other heating elements. The boiler must conform to Marine Society Requirements and meet specifications in accordance with U.S. Coast Guard requirements complying with A.S.M.E. Boiler Code and include the following:

- Oil Burner
- Fuel Oil
- Electrical
- Standard Equipment
- Accessories
- Capacities and Miscellaneous Data

DELIVERY REQUIREMENTS

Delivery of the proposed boiler must be made F.O.B., City of Chicago, to the Department of Water Management, Bureau of Water Supply, Division of Water Pumping, Jardine Water Purification Plant, 1000 East Ohio Street, Chicago Illinois 60611, between the hours of 8:00 am and 3:00pm, Monday through Friday, Excluding Saturday, Sunday, or any holydays, within fifteen (15) calendar days of receipt of the City's Notification of Contract Award letter.

The Contractor will contact Mark O'Malley at 312-744-3700, Department of Water Management at list twenty-four (24) hours prior to delivery. The Contractor must provide, at the time of delivery, copies of a delivery ticket for the boiler delivered. Delivery tickets must e signed by an authorized representative of the Department of Water Management and an authorized representative of the Contractor.

WARRANTY

The Contractor must furnish a warranty for the boiler provided under this Contract in accordance with the standard warranty regularly supplied.

At a minimum, the Contractor hereby warranties for a period of one (1) year from the date of final acceptance by the City, that it will, at its own expense and without any cost to the City, replace all defective parts and make any repairs that may be required or made necessary by reason of defective design, material or workmanship, or by reason of non-compliance with these specifications. The warranty period will commence on the first day the boiler is placed in service by the City. If a longer warranty can be furnished, at no additional cost to the City, the longer period will prevail.

INVOICES

Original invoices must be forwarded by the Contractor to the City of Chicago, Department of Water Management, 333 South State Street DePaul Center, Room 410, Accounts Payable, Chicago Illinois, 60604 to apply against the contract. Invoices must be submitted in accordance with the mutually agree upon time period with the Department of Water Management.

DPS PROJECT CHECKLIST

For DPS Use Only

IMPORTANT: ALL INFORMATION SHOULD BE COMPLETED, ATTACH ALL REQUIRED MATERIALS AND SUBMIT FOR ROUTING TO THE DEPARTMENT OF PROCUREMENT SERVICES, ROOM 403, CITY HALL, 121 N. LASALLE STREET, CHICAGO, ILLINOIS 60602, ATTENTION: CHIEF PROCUREMENT OFFICER.

Date Received

Date Returned

Date Accepted

CA/CN's Name

General Information:

Date: 4/21/11

Requisition No.: 57770

Specification No.: (if known) 95390

PO No.: (if known)

Modification No.: (if known)

Previous PO No.: (if known)

Project Description: NEW SMALL ORDER SOLE SOURCE CONTRACT FOR ONE MARINE BOILER

Need by (estimated date):

Contact Person:

Margarita Alvarez

Telephone: -7471683

Fax: -7477078

Email: malvarez@cityofchicago.org

Project Manager:

Felicia Rawlings

Telephone: -7450581

Fax: -7477078

Email: felicia.rawlings@ex.cityofchicago.org

Funding:

- City: Corporate Bond Enterprise Grant* Other:
 State: IDOT/Transit IDOT/Highway Grant* Other:
 Federal: FHWA FTA FAA Grant* Other:

LINE	FY	FUND	DEPT	ORGN	APPR	ACTV	PROJECT	RPTG	\$ DOLLAR AMOUNT
<u>001</u>	<u>010</u>	<u>0F05</u>	<u>088</u>	<u>2020</u>	<u>5047</u>	<u>270540</u>			<u>50034151</u>

Term Estimated Value \$ 18,624.00

*IF GRANT FUNDED, ATTACH COPY OF THE APPROVED GRANT AND APPLICATION AND ANY OTHER TERMS AND CONDITIONS OF FUNDING SOURCE THAT MAY APPLY. GRANT FUNDS MUST BE _____ COMMITTED OR _____ SPENT BY DEADLINE: _____ (DATE)

Scope Statement:

Attached is a Detailed Scope of Services and/or Specification. E-mail softcopy in Microsoft Word to DPS Unit Manager

IMPORTANT:

THIS IS A CRITICAL PORTION OF YOUR SUBMITTAL. IN ORDER FOR DPS TO ACCEPT YOUR SUBMITTAL YOU MUST COMPLETE THE SPECIFIC SCOPE REQUIREMENTS AS SET FORTH IN THE SUPPLEMENTAL CHECKLIST FOR THAT UNIT.

Purchase Order Type (Check All That Apply):

New Request

- Blanket/Term/DUR/Agreement
 Master Agreement (Task Order)
 Standard/One-Time Purchase

Forms

- Requisition
 Special Approvals
 Non-Competitive Review Board (NCRB)

Modification/Amendment

- Time Extension**
 Vendor Limit Increase
 Scope Change/Price Increase/Additional Line Item(s)
 Other (specify):

Contract Term:

** Requested Term (Number of Months):

Pre-Bid/Submittal Requirements:

- Mandatory Pre Bid/Submittal Conference? Yes* No
 Requesting Site Visit? Yes No

*If yes, explain reasons why mandatory attendance is necessary.

**CITY OF CHICAGO
DEPARTMENT OF PROCUREMENT SERVICES
ROOM 403, CITY HALL, 121 N. LASALLE STREET**

FOR NCRB USE ONLY	
Date _____	
Recommend Approval	<input type="checkbox"/>
Return To Dept.	<input type="checkbox"/>
Reject	<input type="checkbox"/>
Vote _____	

**NON-COMPETITIVE REVIEW BOARD (NCRB)
JUSTIFICATION FOR NON-COMPETITIVE PROCUREMENT**

COMPLETE THIS SECTION IF NEW CONTRACT

For contract(s) in this request, fill in each of the four (4) major subject areas below in accordance with the **Instructions for Preparation of Non-Competitive Procurement Form** on the reverse side. Complete "Other" subject area if additional information is needed. Subject areas must be fully completed. Responses merely referencing attachments will not be accepted.

Request that negotiations be conducted only with Ray Burner Company for the product(s) and/or service(s) described herein.

This is a request for:

One-Time Contractor Requisition #: _____ copy attached or Term Agreement or Delegate Agency (Check one).

If Delegate Agency, this request is for "blanket approval" for all contracts within the <<proj description/name>> (Attach List).

Pre-Assigned Specification No.: _____

Pre-Assigned Contract No.: _____

COMPLETE THIS SECTION IF AMENDMENT OR MODIFICATION TO CONTRACT

Describe in detail the change in terms of dollars, time period, scope of services, etc., its relationship to the original contract and the specific reasons for the change. Indicate both the original and the adjusted contract amount and/or expiration date with this change, as applicable. Attach copy of all supporting documents. Request approval for a contract amendment or modification to the following:

Contract #: _____

Company or Agency Name: _____

Specification #: _____

Contract or Program Description: _____

Modification #: _____

(Attach List, if multiple)

Mark O'Malley

744-3700

M. O'Malley

Water Management

12/09/2010

Originator Name

Telephone

Signature

Department

Date

(mm/dd/yr)

PROCUREMENT HISTORY

- The boiler to be procured via sole-source procurement authorization is to be installed on board the City of Chicago, Department of Water Management Tugboat James J. Versluis during the next dry dock inspection/shipyard period scheduled for 2013.**
It is a direct replacement for the existing boiler installed on board the tugboat, which dates back to 1957.
- This is a first time requirement.**
- As the aforementioned company, Ray Burner, is the only United States Company authorized to sell this boiler, no attempt has been made to competitively bid this item.**
- An internet search was done in order to locate all authorized distributors concerning this item.**
- This is a one-time request.**
- I do not believe competitive bidding is possible, as we have not been able to identify other authorized distributors concerning this product.**

ESTIMATED COST

- The estimated cost for this requirement is \$18,624.00**
The Funding source is 001-09-0F04-088-2020-0550-W706-220550-10101090
- The estimated cost would be \$18,624.99 for the fiscal year 2010.**
- A quotation was obtained from Ray Burner Co., the only U.S. authorized area distributor that we were able to identify.**

4. If we were to consider a boiler from a different manufacturer, a naval Architect would have to be hired in order to determine feasibility, and other installation issues, including but not limited to how the center of buoyancy would be affected.

The required item as manufactured by Way-Wolff Associates, Inc., is a direct replacement for the existing boiler, and will bolt in place after removal of the existing boiler.

SCHEDULE REQUIREMENTS

1. We would like to be in possession of the required item in anticipation of the next inspection/Dry-Dock period concerning the Chicago Department of Water Management Tugboat. This is scheduled for 2013.
2. Note that Ray Burner is the only United States authorized distributor that we have been able to identify concerning this product. They are privy to specifications concerning the existing boiler and the required item.
3. It is critical that we are in possession of the required item prior to the next Inspection/Dry-Dock period concerning the CDWM Tugboat.
4. Competitive bidding may not be possible if Ray Burner Co. chooses not to sell their item to someone other than the end user.

EXCLUSIVE OR UNIQUE CAPABILITY

1. Proposed supplier, Ray Burner Company, is a predominant distributor of marine boilers.
2. The proposed Company is the only United States authorized distributor of the required item that we have been able to identify.
3. Proposed supplier, Ray Burner will ensure that the required item, as manufactured by Way-Wolff and Associates, meets or exceeds all specifications before it is shipped to the City of Chicago, Department of Water Management.
4. It is the intent of the Department of Water Management to have the required aboard the CDWM Tugboat during the next Dry Dock inspection period scheduled for 2013. It is critical that the required item be compatible with existing machinery and appurtenances aboard the CDWM Tugboat in order to ensure proper operation of related environmental control equipment. Proper ambient temperatures have to be maintained aboard the boat in order to ensure reliable operation of critical systems such as the steering and navigation systems.
5. As the only authorized distributor of Way-Wolff products in the U.S., Ray Burner Company is privy to specifications and other proprietary data concerning the required item.

OTHER

APPROVED BY:

DEPARTMENT HEAD OR DESIGNEE

PRINT NAME

CHIEF PROCUREMENT OFFICER

12/14/10
DATE

Richard Butler
BOARD CHAIRPERSON

PRINT NAME

DATE OF APPROVAL

2.9.11
DATE

February 9, 2011

THE BURNER
AND BOILER
WITH AN
INTERNATIONAL
REPUTATION



R A Y B U R N E R C O M P A N Y
401 PARR BOULEVARD • RICHMOND, CALIFORNIA 94801
SINCE 1872

(510) 236-4972 • FAX (510) 236-4083 • 1 (800) RAY-BURNER
WEB SITE www.rayburner.com • E-MAIL rayburner@rayburner.com

11/1/10

Department of Water Management
DePaul Center, Room 410/procurement
333 S. State St
Chicago, IL 60604

Attn: Felicia Rawlings
Margarita Alvarez

RE: Regulations Governing Waiver of MBE/WBE Goals

To whom it may concern,

We are requesting a waiver of the requirement to meet the MBE/WBE for our contract to supply a replacement sole source Way Wolff Hot Water Heating Boiler for the Department of Water Tub Boat. In an effort to meet the requirement, we telephoned all of the firms on the list of Certified Vendors - Hauling Services and Office Suppliers. The list is attached.

The Hauling Services persons said they only do hauling within the Chicago area and do not do long hauls. They also said they do not do Class 70, items 115540-0, which are burners and boilers.

We then contacted the Office Service firms and they said they do not offer office supplies for the West Coast.

We are requesting a waiver from the Chief Procurement Officer, based on our good faith effort to comply with the requirement of MBE/WBE.

Yours truly,

Russ Westover
President

9501b

Date 10/23/2010
TIME 11:30 AM TO 12:00
CONTRACT VIA PHONE

Certified Directory-
Hauling Services
Date: 10/15/2010
10:46:01 AM

Company Name	Owner First	Owner Last	Owner	Capability	Address	City	State	Zip	Phone	Fax	Email	Certification Type
All Time Wrecking & Hauling, Inc. NO ANSWER	Henry	Lipscomb		MISCELLANEOUS CONCRETE	5247 W. Lake St.	Chicago	IL	60644	773-921-7723	773-921-7736	alltimewrecking801@sbcglobal.net	DBE
East Gate Hauling DO NOT SHIP CONTRACT TO CHRYSLER	Vinton	Harris, Sr		TRUCKING	676 N. 39th St.	East St. Louis	IL	62205	618-973-8131	618-874-8140	eastgatehauling676@yahoo.com	DBE
J-C Hauling Company, an Illinois Corporation NUMBER ONE LONGER IN SERVICE	Patsy	Evansco		TRUCKING SAWING CONCRETE; MISCELLANEOUS CONCRETE	P. O. Box 12	Millstadt	IL	62260	618-476-1900	618-476-1642	jch@htc.net	DBE
King Concrete and Hauling	David Lee	King		CONCRETE	2519 Ashland Ave.	Rockford	IL	61101	815-952-1494	815-962-1494	David.King8@insightbb.com	DBE
Midwest Hauling & Contracting, Inc. LOCAL DUMP TRUCK HAULING	M Christine	Johnson		TRUCKING	2286 Rose Ln.	Pacific	MO	63069	636-271-6363	636-271-5006	chris@midwest-hauling.com	DBE
Truck King Hauling Contractors, Inc.	Jesus	Sauzameda, Jr		TRUCKING Transportation of Goods (Freight)	4722 S. Spaulding St.	Chicago	IL	60632	773-847-6000	773-847-6714	tkhc@sbcglobal.net	DBE
Truck King Hauling Contractors, Inc.	Jesus	Sauzameda, Jr		TRUCKING Transportation of Goods (Freight)	4722 S. Spaulding St.	Chicago	IL	60632	773-847-6000	773-847-6714	tkhc@sbcglobal.net	MBE
Wayne's Hauling, Inc. LOCAL HAULING ONLY	E Dwayne	Carraway		DEMOLITION; TRUCKING	1601 State St.	East St. Louis	IL	62205	618-274-3723		vidona@aol.com	DBE


Copyright (c) 2010
B2Gnow. All rights reserved.

Certified
 Directory-
 Office Supplies
 Date:
 10/15/2010
 10:18:46 AM

Company Name	Owner First	Owner Last	Capability	Address	City	State	Zip	Phone	Fax	Email	Certification Type
Dan's Printing & Office Supplies, Inc.	Caroline	Vaclav	Retail Sale of Office Supplies, Stationary and Furniture; Commercial Lithographic, Printing and Quick Printing; Graphic Design Services	14800 South Cicero Avenue	Oak Forest	IL	60452	708-687-3055	708-687-9035	carolvaclav@danielspos.com	WBE
Hallagan Office Supplies, Inc.	Joan	Hallagan	Sale of Office Supplies; DATA PROCESSING OFFICE FURNITURE, WOOD (NOT STORAGE CABINETS - SEE ITE 87);STANDS, OFFICE EQUIPMENT AND MACHINES;MISCELLANEOUS OFFICE SUPPLIES;COPY MACHINES, LASER, INCLUDING PARTS AND ACCESSORIES COPYING MACHINES, LASER	6854 West North Avenue	Chicago	IL	60707	773-637-0368	773-637-0799	hallagan@co-recomm.net	WBE

Copyright (c)
 2010 B2Gnow.
 All rights reserved.

THE BURNER
AND BOILER
WITH AN
INTERNATIONAL
REPUTATION



R A Y B U R N E R C O M P A N Y
401 PARR BOULEVARD • RICHMOND, CALIFORNIA 94801
SINCE 1872

(510) 236-4972 • FAX (510) 236-4083 • 1 (800) RAY-BURNER
WEB SITE www.rayburner.com • E-MAIL rayburner@rayburner.com

CITY OF CHICAGO
DEPARTMENT OF WATER
PUMPING STATION OPERATION DIV.
1000 EAST OHIO STREET
CHICAGO, ILL 60611

Sept. 13, 2010

Dear Mr. Mark O Malley, [Engineer of Water Pumping]

R.D MINERS Inc., RAY BURNER Co., and WAY WOLFF SHIP HEATER are
Manufacture of the WAY WOLFF Boilers. There is no other source
for WAY WOLFF BOILERS. We are a sole source.

RAY BURNER has been manufacturing the Burner for the WAY WOLFF
boiler from the inception of the USCG approved Boiler.

If you need to contact the USCG Contract Officer , please let
me know.

Yours truly,


Russ Westover - President

RAY BURNER COMPANY

Quoric 39005

Remit to:
RAY BURNER COMPANY
401 PARR BLVD
RICHMOND CA 94801

~~XXXXXXXXXXXXXXXXXXXX~~

ORDER #: 0039005

ORDER DATE: 06/15/11 SALESMAN: 1

JUST. PO:

TERMS: NET

SHIP VIA: DAYLIGHT

BILL TO: CHICAGOWAT
CHICAGO DEPT.OF WATER MGT
MARK F. OMALLEY
1000 OHIO STREET
ROOM 212
CHICAGO IL 60611


SHIP TO:
CHICAGO DEPT.OF WATER MGT
MARK F. OMALLEY
1000 OHIO STREET
ROOM 212
CHICAGO IL 60611

ITEM	ORDER	SHIP DESCRIPTION	UNIT PRICE	TOTAL
REPLACEMENT	1	1 BOILER FOR WAY WOLFF-4236	0.00	0.00
434-10E	1	1 WAY WOLFF 919010	19192.00	19192.00
20/60/1	1	1 30PSI HOT WATER	0.00	0.00
353-2	1	1 RAY OIL BURNER	0.00	0.00
EC120	1	1 CAD CELL CONTROL	0.00	0.00
-494	1	1 LOW WATER PROBE-170	0.00	0.00
554	1	1 AQUASTAT	0.00	0.00
-360-7	1	1 3 1/2 GAGE 50PSI 60-260F	0.00	0.00
RELIEF-VALVE	1	1 SET AT 30PSI 3/4"	0.00	0.00
RUCK-FRT.TO	1	1 60611 CHICAGO, IL-DAYLIGHT	0.00	0.00

Donald C. ... - President

SUBTOTAL 19192.00
TAX 0.00

TOTAL 19192.00



All rights protected under Patent Number 2,383,924 and others pending.

WAY-WOLFF Ship-Heater Dimensions (Inches or I.P.S.)

All dimensions subject to change without notice. Certified prints will be supplied upon request for any specific application.

	A	B	C	D	E	F	G	H	J	K	L	M	N	O
*917-6C	13 $\frac{3}{8}$	7	8	10 $\frac{1}{4}$	35 $\frac{3}{4}$	20 $\frac{1}{4}$	17 $\frac{3}{4}$	19 $\frac{1}{4}$	17 $\frac{1}{2}$	1 $\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	5	2 $\frac{1}{2}$ x 7
2128-8C	18	10 $\frac{1}{2}$	8	12 $\frac{3}{4}$	53	22	17 $\frac{7}{8}$	33 $\frac{1}{4}$	31 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	6-8	3 $\frac{1}{2}$ x 10
3434-10E	24	12 $\frac{1}{2}$	8	12 $\frac{3}{4}$	61	22 $\frac{1}{2}$	21 $\frac{3}{4}$	39 $\frac{3}{8}$	37 $\frac{1}{4}$	2 $\frac{3}{8}$	3	2	10	4 x 10
5848-14E	32	12 $\frac{1}{2}$	8	12 $\frac{3}{4}$	77 $\frac{3}{4}$	22 $\frac{1}{2}$	21 $\frac{3}{4}$	53 $\frac{5}{8}$	51 $\frac{3}{8}$	2 $\frac{3}{8}$	4	2	10	6 x 12

Capacities and Miscellaneous Data

Way-Wolff Ship-Heater Size		*917-6C	2128-8C	3434-10E	5848-14E
Firing Rate (G.P.H.)	Max.	.75	2.00	4.00	8.00
	Normal	.50	1.25	2.00	4.00
BTU/Hr. Output Rating	Max.	80,000	210,000	420,000	840,000
	Normal	50,000	131,000	210,000	420,000
Water Radiation, Sq. Ft.	Max.	533	1400	2800	5600
	Normal	333	873	1400	2800
Steam Radiation, Sq. Ft.	Max.	—	—	1750	3500
	Normal	—	—	875	1750
Gallons/Hr. 100°F. Rise	Max.	94	248	495	990
	Normal	59	154	248	495
Gross Heating Surface, Sq. Ft.		9	27.6	63.8	147
Dia. Firing Tube I.P.S.		6	8	10	14
No. of Boiler Tubes		9	21	34	58
Length of Boiler Tubes		17	28	34	48
Dia. of Boiler Tubes, O.D.		1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	2
Net Dry Wt. inc. Burner and Jacket	Pounds	195	495	885	1885
	Gallons	34	108	241	658
Water Content Hot Water Service	Pounds	4	13	29	79
	Gallons	—	—	183	535
Water Content Steam Service	Pounds	—	—	22	64
	Gallons	—	—	—	—
Burner Motor	H. P.	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Shipping Wt. inc. Burner and Jacket	Pounds	260	560	950	1950

Capacities based on Fuel Oil of 140,000 B. T. U. per gallon and minimum efficiency of 75%.

RAY BURNER COMPANY
 401 Parr Blvd., Richmond, CA 94801, USA (510) 236-4972 * Fax (510) 236-4083
 1-800-RAY BURNER (1800 729-2876)
 Web: <http://www.rayburner.com> Email: rayburner@rayburner.com

Fax


To: *Mark O'Quilly* From: *Russ Westover*
 Fax: *312-744-2775* Pages: *3*
 Phone: *312-661-3577* Date: *11/17/10*
 Re: _____ CC: _____

Quote # 39005


WAY-WOLFF

Ship-Heaters


Specifications



Super Compact
size 917-6C



for
HOT
WATER



for
STEAM

NOTE: CONSULT FACTORY FOR 50 CYCLE OPERATION AND FOR U.S.C.G. APPROVAL ON BOILER - BURNER PACKAGE.

Designed for operation with forced circulation hot water heating systems, WAY-WOLFF Ship-Heaters are fully automatic, oil-fired, central heating units used to supply hot water by means of a circulating pump to radiators, convectors, or other heating elements. They can also be used to supply steam.

Boiler: Standard units are vertical, fire tube, 2 pass top fired design. Size 917-6C can also be installed horizontally. Combustion chamber comprises first pass and the return fire tubes the second pass. Base of boiler is insulated from deck by air space and wet bottom section. Boiler is of marine welded construction with full penetrating welding techniques used as in high pressure boilers. Boiler is designed for Marine Heating operation at 30 pounds maximum steam or hot water pressure. Top cover is insulated and easily removable for periodic cleaning. Clean-out opening in base of boiler, observation ports in top and base. Steam boilers have U. S. Coast Guard certification. Hot water boilers are built in accordance with U. S. Coast Guard requirements complying with A. S. M. E. Boiler Code.

Oil Burner: Special integrated fully automatic, high pressure atomizing type. A self-priming fuel pump draws oil from storage tank. In addition to mechanical shut-off valve in the fuel pump, an electric oil shut-off is provided for extra safety. Oil pressure and vacuum gauges are provided. Ignition is automatic electric spark (on D.C. application fed from a special A.C. take-off on burner motor-inverter). Safety stack control shuts burner off in case of ignition or flame failure. Operation of the burner is controlled by adjustable limit control on boiler.

Fuel Oil: Domestic fuel oil per Commercial Spec. CS12-48 grade 2. Diesel fuel oil per Military Spec. MIL-F16884. A.P.I. Gravity — 26° to 33°. Viscosity — 40 S.S.U. at 100° F. max.

Electrical: Direct current 32 or 115 volts.
Alternating 110 or 220 volts, 50 or 60 cycles, single phase.

Standard Equipment: Boiler complete with combustion chamber in place; insulated steel jacket; oil burner assembly; combustion safety control; adjustable limit control; safety relief valve; oil filter; flue cleaning brush; burner adjusting hex keys and instructions.

Hot water boiler furnished with: Pressure-temperature gauge.


Steam boiler furnished with: Steam pressure gauge, low water cutoff, gauge glass and fittings, try-cocks.

Accessories: Service hot water heat exchanger, service hot water storage tank, water circulating pumps, room thermostat, convectors, special monoflo one pipe hot water installation fittings, expansion or compression tanks, feed water reducing valves, boiler feed pumps, etc., available from stock.

WAY-WOLFF

Associates inc

Telephone — Empire 1-9292
Area Code — 718



All rights protected under Patent Number 2,383,924 and others pending.

WAY-WOLF Ship-Heater Dimensions (Inches or I.P.S.)

All dimensions subject to change without notice. Certified prints will be supplied upon request for any specific application.


	A	B	C	D	E	F	G	H	J	K	L	M	N	O
*917-6C	13 $\frac{3}{8}$	7	8	10 $\frac{1}{4}$	35 $\frac{3}{4}$	20 $\frac{1}{4}$	17 $\frac{3}{4}$	19 $\frac{1}{4}$	17 $\frac{1}{2}$	1 $\frac{3}{4}$	$\frac{3}{4}$	$\frac{3}{4}$	5	2 $\frac{1}{2}$ x 7
2128-8C	18	10 $\frac{1}{2}$	8	12 $\frac{3}{4}$	53	22	17 $\frac{5}{8}$	33 $\frac{1}{4}$	31 $\frac{1}{2}$	1 $\frac{3}{4}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	6-8	3 $\frac{1}{2}$ x 10
3434-10E	24	12 $\frac{1}{2}$	8	12 $\frac{3}{4}$	61	22 $\frac{1}{2}$	21 $\frac{3}{4}$	39 $\frac{3}{8}$	37 $\frac{1}{4}$	2 $\frac{3}{8}$	3	2	10	4 x 10
5848-14E	32	12 $\frac{1}{2}$	8	12 $\frac{3}{4}$	77 $\frac{3}{4}$	22 $\frac{1}{2}$	21 $\frac{3}{4}$	53 $\frac{5}{8}$	51 $\frac{5}{8}$	2 $\frac{3}{8}$	4	2	10	6 x 12

Capacities and Miscellaneous Data


Way-Wolf Ship-Heater Size		*917-6C	2128-8C	3434-10E	5848-14E
Firing Rate (G.P.H.)	Max.	.75	2.00	4.00	8.00
	Normal	.50	1.25	2.00	4.00
BTU/Hr. Output Rating	Max.	80,000	210,000	420,000	840,000
	Normal	50,000	131,000	210,000	420,000
Water Radiation, Sq. Ft.	Max.	533	1400	2800	5600
	Normal	333	873	1400	2800
Steam Radiation, Sq. Ft.	Max.	—	—	1750	3500
	Normal	—	—	875	1750
Gallons/Hr. 100°F. Rise	Max.	94	248	495	990
	Normal	59	154	248	495
Gross Heating Surface, Sq. Ft.		9	27.6	63.8	147
Dia. Firing Tube I.P.S.		6	8	10	14
No. of Boiler Tubes		9	21	34	58
Length of Boiler Tubes		17	28	34	48
Dia. of Boiler Tubes, O.D.		1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	2
Net Dry Wt. inc. Burner and Jacket	Pounds	195	495	885	1885
	Pounds	34	108	241	658
Water Content Hot Water Service	Gallons	4	13	29	79
	Pounds	—	—	183	535
Water Content Steam Service	Gallons	—	—	22	64
	Pounds	—	—	—	—
Burner Motor	H. P.	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{2}$	$\frac{1}{2}$
Shipping Wt. inc. Burner and Jacket	Pounds	260	560	950	1950

Capacities based on Fuel Oil of 140,000 B. T. U. per gallon and minimum efficiency of 75%.
 Steam Radiation 240 B. T. U./Sq. Ft. Hot Water Radiation 150 B. T. U./Sq. Ft.
 *See Bulletin WW120 for complete details on 917-6C.

The Newest, Most Advanced Microprocessor Based M-Line Control



FIREYE



MicroM SERIES

Description

The Fireeye MicroM Series Flame Safeguard Control is a compact, microprocessor based, modular burner management system designed to provide automatic ignition and continuous flame monitoring for commercial and process equipment that use gas and/or light oil fuels.

Interchangeable programmer and amplifier modules allow for complete versatility in selection and control function, timing and flame scanning means. Functions such as relight, two stage capability, interrupted pilot, non-recycle air flow, air flow circuit proven open at start, purge timing and pilot cutoff are determined by the appropriate module.

Features

- Microprocessor based timings
- SMART diagnostic LED's
- Option plug-in display (ED510)
- MODBUS communication protocol
- Expanded amplifier selection
 - UV
 - Flame Rod
 - Infrared
 - UV Self-Check
 - Cad Cell
- 8 or 3 second FTRT
- Uniform 0-10 vdc test jack voltage
- Remote reset
- History retained
 - Last six lockouts
 - Burner on time
 - Burner cycles
 - Installed hours
 - Programmer configuration
- Backward Compatibility



FIREYE, Inc. • 3 Manchester Road • Derry, NH 03038 • USA

TEL (603) 432-4100 • FAX: (603) 432-1570 • <http://www.fireeye.com>



CERTIFICATE OF FILING FOR
CITY OF CHICAGO ECONOMIC DISCLOSURE STATEMENT

EDS Number: 23205

Certificate Printed on: 06/14/2011

Date of This Filing: 06/14/2011 02:37 PM

Original Filing Date: 06/14/2011 02:37 PM

Disclosing Party: R.D.Miners,Inc.- Ray Burner Title: President
Co.

Filed by: Russ Westover

Matter: Replacement boiler Water Dept. Tug
Boat

Applicant: R.D.Miners,Inc.- Ray Burner Co.

Specification #:

Contract #:

The Economic Disclosure Statement referenced above has been electronically filed with the City. Please provide a copy of this Certificate of Filing to your city contact with other required documents pertaining to the Matter. For additional guidance as to when to provide this Certificate and other required documents, please follow instructions provided to you about the Matter or consult with your City contact.

A copy of the EDS may be viewed and printed by visiting <https://webapps.cityofchicago.org/EDSWeb> and entering the EDS number into the EDS Search. Prior to contract award, the filing is accessible online only to the disclosing party and the City, but is still subject to the Illinois Freedom of Information Act. The filing is visible online to the public after contract award.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
03/31/2011

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Marsh Risk & Insurance Services CA License #0437153 777 South Figueroa Street Los Angeles, CA 90017	CONTACT NAME: _____ PHONE (A/C, No., Ext): _____ FAX (A/C, No.): _____ E-MAIL ADDRESS: _____ PRODUCER CUSTOMER ID#: _____																					
	INSURED Daylight Transport, LLC 1501 Hughes Way, Suite 200 Long Beach, CA 90810	<table border="1"> <tr> <th colspan="2">INSURER(S) AFFORDING COVERAGE</th> <th>NAIC #</th> </tr> <tr> <td>INSURER A:</td> <td>Travelers Property Casualty Co. Of America</td> <td>25674</td> </tr> <tr> <td>INSURER B:</td> <td>N/A</td> <td>N/A</td> </tr> <tr> <td>INSURER C:</td> <td></td> <td></td> </tr> <tr> <td>INSURER D:</td> <td></td> <td></td> </tr> <tr> <td>INSURER E:</td> <td></td> <td></td> </tr> <tr> <td>INSURER F:</td> <td></td> <td></td> </tr> </table>	INSURER(S) AFFORDING COVERAGE		NAIC #	INSURER A:	Travelers Property Casualty Co. Of America	25674	INSURER B:	N/A	N/A	INSURER C:			INSURER D:			INSURER E:			INSURER F:	
INSURER(S) AFFORDING COVERAGE		NAIC #																				
INSURER A:	Travelers Property Casualty Co. Of America	25674																				
INSURER B:	N/A	N/A																				
INSURER C:																						
INSURER D:																						
INSURER E:																						
INSURER F:																						

COVERAGES **CERTIFICATE NUMBER:** LOS-001289263-09 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR	WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC			TJGLSA4241884610	12/01/2010	12/01/2011	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Per occurrence) \$ 1,000,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 8,000,000 PRODUCTS - COMP/OP AGG \$ 1,000,000
A	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS <input checked="" type="checkbox"/> Comp/Coil Deductible: \$1,000			TJCAP4241885810	12/01/2010	12/01/2011	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$ \$ \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DEDUCTIBLE <input type="checkbox"/> RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$ \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY <input type="checkbox"/> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory In NH) If yes, describe under DESCRIPTION OF OPERATIONS below			TC2JUB4247899210 (AOS) TROUB4246805510 (MA)	12/01/2010 12/01/2010	12/01/2011 12/01/2011	<input checked="" type="checkbox"/> WC STATUTORY LIMITS <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)
Except for Workers Compensation, City of Chicago City Hall is added as Additional Insured as respects their interest in named insured.

CERTIFICATE HOLDER City of Chicago City Hall 121 N. LaSalle Street Chicago, IL 60602	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE of Marsh Risk & Insurance Services Julie Orellana <i>Julie Orellana</i>
--	--

**CITY OF CHICAGO
 PURCHASE REQUISITION**

Copy (Department)

DELIVER TO: D06 STOREROOM 110 JARDINE WATER PURIFICATION PT. CHICAGO, ILLINOIS 60611, IL	REQUISITION: 57770 PAGE: 1 DEPARTMENT: 88 - DEPARTMENT OF WATER MANAGEME PREPARER: Margarita Alvarez NEEDED: APPROVED: 4/11/2011
---	---

REQUISITION DESCRIPTION

NEW SMALL ORDER (ONE SHOT) SOLE SOURCE CONTRACT FOR A HOT WATER MARINE BOILER,
 SPECIFICATION NUMBER: 95390

COMMODITY INFORMATION

LINE	ITEM	QUANTITY	UOM	UNIT COST	TOTAL COST							
1	8201210020 BOILERS, LOW PRESSURE - HOT WATER MARINE BOILER, MODEL 1-3434-10E	1.00	Each	18,624.00	18,624.00							
SUGGESTED VENDOR:			REQUESTED BY: Felicia L Rawlings									
DIST	BFY	FUND	COST CTR	APPR	ACCNT	ACTV	PROJECT	RPT CAT	GENRL	FUTR	Dist. Amt.	
1	010	0F05	0882020	5047	220540	0000	50034151	000000	00000	0000	18,624.00	
LINE TOTAL:											18,624.00	
REQUISITION TOTAL:											18,624.00	

Where a commodity is for a particular or unique use other than standard quality, grades, color, size or other characteristics, give details of how it will be and for what purpose.
 Requisitions prepared incorrectly will be returned to the using department.